

**Renewable Northwest
Members**

3Degrees
American Wind Energy Association
Atkins
Bonneville Environmental
Foundation
Center for Energy Efficiency &
Renewable Technologies
Citizens' Utility Board of Oregon
Climate Solutions
Columbia Gorge
Community College
Community Renewable
Energy Association
DNV GL
EDF Renewable Energy
EDP Renewables
Environment Oregon
Environment Washington
Eurus Energy America
EverPower
FirstWind
GE Energy
Geothermal
Resources Council
Green Mountain Energy
HDR Engineering, Inc.
Iberdrola Renewables
Idaho Conservation League
K&L Gates
Kapla Law PLLC
MAP
Montana Environmental
Information Center
MontPIRG
Natural Capital Partners
Natural Resources
Defense Council
NextEra Energy Resources
Northwest Environmental
Business Council
Northwest SEED
NW Energy Coalition
OneEnergy Renewables
Oregon Solar Energy
Industries Association
Orion Renewable Energy
Group LLC
OSPIRG
Oregon Tech
Portland Energy
Conservation, Inc.
Principle Power
REC Silicon
RES America Developments
Solar Oregon
Stoel Rives, LLP
SunPower Corporation
SWCA Environmental Consultants
Tonkon Torp LLP
Vestas Americas
Warm Springs Power &
Water Enterprises
Washington Environmental Council
WashPIRG
Western Resource Advocates

June 30, 2016

421 SW 6TH AVE, Suite 1125
Portland, OR 97204
www.RenewableNW.org
503.223.4544



**Renewable
Northwest**

Via Electronic Mail

Public Utility Commission of Oregon
Attn: Filing Center
PUC.FilingCenter@state.or.us

Re: In the Matter of PUBLIC UTILITY COMMISSION OF
OREGON, Investigation to Determine the Resource Value
of Solar
Docket No. UM 1716

Dear Filing Center:

The Response Testimony of Michael O'Brien on behalf of Renewable Northwest, the Oregon Solar Energy Industries Association, the NW Energy Coalition, and Northwest Sustainable Energy for Economic is enclosed for filing in the above-referenced docket.

Thank you for your assistance, and please do not hesitate to contact our office if you have any questions.

Sincerely,

/s/ Silvia Tanner
Silvia Tanner
Staff Counsel
Renewable Northwest

**BEFORE THE PUBLIC UTILITY COMMISSION
OF OREGON**

UM 1716

In the Matter of

PUBLIC UTILITY COMMISSION OF
OREGON,

Investigation to Determine the Resource
Value of Solar.

Response Testimony of Michael
O'Brien on behalf of Renewable
Northwest, the Oregon Solar Energy
Industries Association, the NW Energy
Coalition, and Northwest Sustainable
Energy for Economic Development.

1 **INTRODUCTION**

2 **Q. Please state your name, occupation and business address.**

3 A. Michael O'Brien, Senior Policy Analyst at Renewable Northwest. My business
4 address is 421 SW 6th Avenue, Suite 1125, Portland, OR 97204.

5 **Q. On whose behalf are you testifying?**

6 A. This testimony is on behalf of Renewable Northwest, the Oregon Solar
7 Energy Industries Association, the NW Energy Coalition, and Northwest
8 Sustainable Energy for Economic Development.

9 **Q. Mr. O'Brien, please describe your educational background and work
10 experience.**

11 A. I hold a Ph.D. in Physics from the University of Birmingham, in the United
12 Kingdom, which included an MSc in the Physics and Technology of Nuclear
13 Reactors. I also hold a BSc(Hons) in Physics from the University of
14 Birmingham. After post-doctoral research with the United Kingdom Atomic
15 Energy Authority, I completed an MPhil in Technology Policy at the
16 University of Cambridge. Following Cambridge I worked for the UK
17 Parliamentary Office of Science and Technology as Energy Advisor, and then
18 for the House of Commons Energy and Climate Change Select Committee as
19 Committee Specialist. I have been working at Renewable Northwest since I
20 moved to the United States in June 2012.

21 **Q. What is the purpose of your response testimony?**

22 A. We appreciate the opportunity to testify to the Oregon Public Utility
23 Commission ("the Commission") in response to Staff's Direct Testimony of

1 Cindy Dolezel (Exhibit 100–101) and Arne Olson (Exhibit 200–201), filed
2 June 1, 2016. Staff’s Direct Testimony addressed a methodology for
3 calculating the resource value of solar (“RVOS”) in Oregon, based on the
4 Commission’s direction that it should include only elements “that could
5 directly impact the cost of service to utility customers”.¹ Staff contracted with
6 Energy and Environmental Economics, Inc (“E3”) to develop the
7 methodological framework, with Arne Olson, E3 partner, presenting
8 testimony. We congratulate Staff and E3 on all their hard work, and on their
9 efforts towards developing a RVOS methodology for Oregon.

10 **Q. What issues does your response testimony address?**

11 A. This testimony addresses the following issues: the benefits of increased
12 granularity in the RVOS; the value of considering resiliency benefits; the need
13 to consider ancillary service benefits separately from integration costs; how
14 to ensure the RVOS remains up-to-date; how a reduction in utility revenue
15 does not imply a cross-subsidization; the need for care when comparing
16 utility scale solar and distributed solar; and the need for transparency
17 around administration costs.

18 **Q. Is there a key theme to your response testimony?**

19 A: The benefits of determining the optimal location of distributed solar can be
20 seen throughout this testimony. Identification of these locations in a
21 distribution-level planning process could ensure that solar systems provide
22 the maximum value to the system. The need for this type of planning can also

¹ OPUC Order No. 15-296 at 2

1 be seen in docket UM 1751, 'Implementing an Energy Storage Program
2 Guidelines',² as well as in rulemaking AR 599, 'EV Program Application'.³ As
3 an example, the California Public Utility Commission requires utilities to
4 develop Distribution Resource Plans ("DRPs") in addition to Integrated
5 Resource Plans ("IRPs").⁴ We recommend that the Commission explore the
6 benefit of Oregon utilities developing such DRPs.

7 **Q. How many solar resource values are necessary in Oregon?**

8 A: We would like to ensure that the methodology created by E3 is eventually
9 used to develop an appropriate range of solar resource values. This range of
10 values should capture more than the solar profile or insolation of a particular
11 geographic location. This range should also capture the locational benefits of
12 avoided energy costs, avoided capacity, line losses, avoided transmission and
13 distribution, security, integration impacts, and ancillary services and grid
14 support that are unique to a particular position on the grid.

15

16 Staff recommended that each utility use the E3 methodological framework to
17 develop "an actual distributed solar RVOS for each utility" (emphasis
18 added).⁵ However, E3 notes that their methodology could potentially capture
19 both insolation and energy benefits that vary with both time and location,
20 stating that their "industry leading approach...utilizes a granular locational-

² UM 1751 <http://apps.puc.state.or.us/edockets/docket.asp?DocketID=19733>

³ AR 599 <http://apps.puc.state.or.us/edockets/docket.asp?DocketID=20129>

⁴ www.cpuc.ca.gov/General.aspx?id=5071

⁵ Staff/100 Dolezel/8 line 18

1 and time-differentiated approach to accurately capture the value that solar
2 provides”.⁶

3
4 We acknowledge E3’s statement that “there are tradeoffs of workability and
5 simplicity for calculating the RVOS for more or less locations and types.”

6 Nevertheless, we believe there is room to explore these tradeoffs. Low
7 granularity in the RVOS would lead to a lost opportunity to enable the market
8 to focus interest on areas where value could be optimized and appropriately
9 compensated. Consequently, we recommend that the tradeoffs in RVOS
10 granularity should be explored as part of Staff’s suggested “investigation to
11 define solar generation profiles and differentiate these profiles by geographic
12 zones”.⁷

13 **Q. Should the RVOS methodology be able to calculate the potential**
14 **security, reliability and resiliency benefits of solar?**

15 A. Yes, the RVOS methodology should be able to calculate the potential security,
16 reliability and resiliency benefits of solar. E3’s “Condensed List of Oregon
17 RVOS Elements” defines the value “Security, Reliability, Resiliency” as the
18 “potential capability of solar, when deployed in combination with other
19 technologies, to provide backup energy or microgrid islanding capabilities
20 during a loss of service from the utility”.⁸ Given the significant potential value
21 of resiliency to utility ratepayers, we are concerned that E3 has “not

⁶ Staff/200 Olson/4 lines 12–14

⁷ Staff/100 Dolezel/8 lines 19–21

⁸ Staff/200 Olson/23 row 11

1 incorporated any quantification of these potential benefits into the RVOS
2 model.”⁹

3
4 For example, generating resources that are located close to demand can
5 reduce transmission and distribution congestion and can minimize the
6 probability of outages through a dispersal of diverse generation. The
7 increased penetration of solar, and of distributed generation in general, could
8 lead to a significant increase in system resiliency and stability. Looking into
9 the near future, the collocation of electricity storage and modern inverters
10 with solar offers the possibility of increasing the solar resource value in
11 various categories. As well as enabling solar systems to better respond to
12 demand, storage combined with solar has a future role in emergency
13 preparedness and natural disaster readiness. Solar could provide power to
14 customers safely during a power outage, whether that is a private residence,
15 hospital, school emergency shelter or other public building.

16
17 While discussing the potential barriers to deferral of transmission and
18 distribution investments, E3 describes demand-side resources such as
19 rooftop solar—and energy efficiency—as “more risky or less reliable” than
20 conventional system assets such as conductors or transformers because of
21 “uncertainty about customer usage patterns”.¹⁰ While this may currently be
22 true to some extent, advanced metering infrastructure and direct

⁹ Staff/200 Olson/26 lines 1–2

¹⁰ Staff/200 Olson 11 lines 5–15

1 performance data from modern inverters and power electronics are
2 increasing the amount of information on the generation profile of rooftop
3 solar resources. Such information about rooftop solar usage patterns could
4 enable the deferral of transmission and distribution investments to be more
5 fully realized.

6
7 While acknowledging that the “Security, Reliability, Resiliency” element
8 could potentially have value for utility ratepayers, E3 adds that this would
9 “depend on solar being deployed in a microgrid.” Mr. Olson from E3 then
10 states that “these applications are quite expensive, and [he is] not aware of
11 any such applications in Oregon at this time”.¹¹ However, we believe there is
12 a strong case for this element to be re-included. Firstly, even if there were no
13 such applications in Oregon at this time, exploring the hypothetical value that
14 could be generated would be extremely valuable from a market, policy and
15 regulatory perspective. Secondly, the Commission is already exploring the
16 value of resiliency in docket UM 1751.¹² Finally, the value of ancillary and
17 support services from distributed solar is not at all limited to microgrid
18 applications. While compensating for such services depends on enhancing or
19 adding tariffs and rate designs to compensate for the value provided by
20 advanced inverters and other system elements, the additional value is
21 already available at the substation and feeder level. As well as exploring the

¹¹ Staff/200 Olson/25 lines 22–26, Olson/26 line 1

¹² UM 1751 <http://apps.puc.state.or.us/edockets/docket.asp?DocketID=19733>

1 value of resiliency, there is clearly an opportunity for synergy between UM
2 1716 and UM 1751 by including this element in the methodology.

3 **Q. Should “Ancillary Service” benefits be bundled with “Integration**
4 **Impacts”?**

5 A: No. We take issue with E3’s bundling of “Integration Impacts” and “Ancillary
6 Services” into “Integration and Ancillary Services”. E3 defined ““Integration
7 and Ancillary Services” as follows:

8 “The *increased* costs associated with integrating solar PV into
9 the electrical system. These costs include additional spinning
10 reserve and ancillary service requirements to facilitate the
11 variability and intermittency of solar PV production, as a well
12 as any change in ancillary service procurement due to
13 reduction in metered load”(emphasis added).¹³

14 A negative value or cost is clearly associated with “Ancillary Services”, as can
15 be seen again in the equation to calculate the RVOS that includes a negative
16 value for the element “*Integration_n*” (which contains ancillary services).¹⁴
17 This understanding of ancillary services as a cost, rather than as a benefit,
18 does not seem to comport with the definition discussed by stakeholders
19 during the initial part of Phase 1, Investigation 1, of UM 1716.

20

21 In comments submitted to the Commission on July 20, 2015, Renewable
22 Northwest, Environment Oregon, and the Oregon Solar Energy Industries

¹³ Staff/200 Olson/22 row 6

¹⁴ Staff/200 Olson 26 lines 7–8

1 Association offered the following definition for “Ancillary Services and Grid
2 Support”:

3 “Ancillary services and grid support represent a broad array
4 of services that can help system operators maintain a reliable
5 grid with sufficient power quality. The impact of solar will be
6 based on the penetration level. As solar penetration is
7 expected to increase, it would behoove this docket to
8 investigate the extent of this value and how it can be
9 maximized”.¹⁵

10 The ancillary services element was meant to capture the value of ancillary
11 services—for example, frequency response, voltage support or peak
12 shaving—that could be provided by solar, especially when combined with
13 other technologies such as modern inverters or storage. Similar to the above
14 discussion on “Security, Reliability, Resiliency”, the quantification of such a
15 value could be used to focus the market, policy and regulation on optimizing
16 the RVOS. We recommend that the “Ancillary Services” element be
17 unbundled from “Integration” and considered as a separate, potential *value*
18 to ratepayers.

19 **Q. How often should the RVOS be recalculated?**

20 A: We hope that updates to the RVOS calculation are undertaken to ensure the
21 value is forward looking. Staff envisions that the RVOS will be recalculated

¹⁵ UM 1716, Comments/Response of Renewable NW, Environment Oregon, and
OSEIA, 7/20/2015
<http://apps.puc.state.or.us/edockets/edocs.asp?FileType=HAC&FileName=um1716hac164937.pdf&DocketID=19362&numSequence=44>

1 every two years using the methodology adopted by the Commission in order
2 to “keep the RVOS current with market trends and to be consistent with the
3 IRP [Integrated Resource Plan] process and schedule”.¹⁶ We understand the
4 desire to be consistent with existing processes and schedules, but are
5 concerned that aligning the RVOS with the IRP process could result in a
6 backward looking RVOS that would be unable to respond to changes in
7 market penetration or to the needs of the grid at a particular time and
8 location. Therefore, we recommend that the Commission explore the most
9 appropriate way to ‘set’ and ‘update’ the RVOS in the investigation into
10 geographic solar generation profiles proposed by Staff.¹⁷

11 **Q. What do you think about how Staff’s Testimony (Staff/200) addressed**
12 **the questions of cross-subsidization and cost-shifting?**

13 A: The extent of cost shifting (if any) is under consideration in Investigation 2 of
14 UM 1716. Investigation 2 was postponed in a ruling issued on January 15,
15 2016 until after the completion of the RVOS methodology in Phase 1,
16 Investigation 1.¹⁸ Given this postponement, we were concerned to read the
17 following assertion from E3:

18 “Moreover, whereas participating solar generators experience
19 a *benefit* in the form of reduced utility bills, this reduction in
20 utility revenue is a *cost* to non-participating customers whose

¹⁶ Staff/100 Dolezel/9 lines 5–6

¹⁷ Staff/100 Dolezel/8 lines 19–20

¹⁸ UM 1716, Ruling, January 15, 2016

<http://edocs.puc.state.or.us/efdocs/HDA/um1716hda154413.pdf>

1 rates must increase to ensure the utility continues to recover
2 its revenue requirement ” (emphasis in original).¹⁹

3 This sentence conflates two separate issues. The key clauses in this
4 paragraph are “reduction in utility revenue is a *cost* to non-participating
5 customers whose rates must increase” and “to ensure the utility continues to
6 recover revenue requirement”. The former clause focuses on rate impacts,
7 which seems premature given that UM 1716 Investigation #1 is still in
8 progress and that a rate impact would only be the outcome of a rate-case.
9 While it is true that a reduction in electricity consumption leads to a
10 reduction in revenue for a utility, a case can be made that cost shifts occur
11 whenever there is a reduction in load. Reductions in load happen for many
12 reasons, including energy efficiency, heating source choices, and occupancy
13 changes. Nevertheless, Oregon utilities do not currently collect extra
14 revenues from customers who reduce their load due to energy efficiency
15 investments. Hence, it is inappropriate to use changes in revenue as a proxy
16 for cost-shifting.

17
18 Throughout the early part of Phase 1 of Investigation #1, there was an
19 understanding amongst stakeholders that the extent of cost-shifting, if any
20 and in either direction, was to be determined by the balance between the
21 costs and benefits. It was not the stakeholders’ understanding that the basis
22 of the cost-shift was the utility’s right to collect a certain amount of revenue.

¹⁹ Staff/200 Olson/18 lines 15–18

1 We recommend that the Commission encourage Staff to refrain from
2 judgments over the magnitude and direction of cost shifting until the
3 completion of Investigation # 2.

4 **Q. Should the RVOS methodology be used to decide whether utility scale
5 solar is more cost effective than rooftop solar?**

6 A: We are concerned by E3's decision to "include functionality to calculate the
7 RVOS using both a conventional [fossil] and a utility solar avoided cost
8 proxy".²⁰ E3 argues that this was necessary given the rapidly declining costs
9 of solar, a trend which we acknowledge.²¹ E3 states that such a comparison
10 between distributed and utility solar could be plausible in the future when
11 "the cost to the utility of serving load with conventional generating resources
12 (either gas-fired resources or market purchases) may exceed the cost to the
13 utility of acquiring a like amount of solar energy at utility scale", i.e. when the
14 avoided marginal resource is solar.²² We look forward to such a day;
15 however, we are concerned that E3's methodology could be used to attempt
16 to make the case that utility scale solar is somehow 'better' than distributed
17 rooftop solar. In reality, they are two different types of resources with
18 different sets of values and costs, as acknowledged by E3.²³ We recommend
19 that the Commission take careful note of what conclusions stakeholders draw
20 using the RVOS methodology when setting utility scale solar as the avoided
21 cost proxy.

²⁰ Staff/200 Olson/39 lines 12-17

²¹ Staff/200 Olson/39 lines 3-5

²² Staff/200 Olson/37 lines 1-4

²³ Staff/200 Olson/35 lines 15-21 and Olson/36 lines 1-2.

1 **Q. Is there sufficient transparency in the methodology with regard to**
2 **administrative costs?**

3 A: We agree that utilities should be allowed to recover reasonable
4 administrative costs in situations where the administrative cost associated
5 with behind-the-meter generation exceeds the comparable metering and
6 billing costs for regular utility customers. E3 describes the “Administration”
7 cost element as representing “the cost of interconnecting solar generators
8 and any ongoing administrative costs such as billing.”²⁴ We recommend that
9 the elements of “interconnection” and “administration” be parsed out so that
10 stakeholders can determine what “administration” includes.

11 **Q. Please give your concluding remarks.**

12 A: Firstly, the methodology developed by E3 could enable the RVOS to be
13 determined based on a solar system’s geographic location (to account for
14 insolation) as well as its physical position on the grid. This would enable
15 regulation, policy and the market to focus on ways to maximize the RVOS. We
16 recommend that the tradeoffs of calculating the RVOS for more or less
17 locations be explored as part of Staff’s suggested investigation into defining
18 solar generation profiles. Secondly, the potential resiliency benefits and
19 ancillary services that could be provided by solar should be captured in the
20 RVOS. Enabling the RVOS model to calculate such benefits would be a step
21 towards realizing them.

²⁴ Staff/200 Olson/33 row 7

1 Both of these conclusions point towards the benefits of incorporating the
2 locational values of distributed generation into the planning process. As an
3 example, the California Public Utility Commission requires utilities to
4 develop so-called Distribution Resource Plans in addition to Integrated
5 Resource Plans. We recommend that the Commission consider exploring the
6 ratepayer benefits of utilities developing such distribution-level plans.

7 **Q. Does this conclude your testimony?**

8 A. Once again we acknowledge Staff's hard work and efforts. We look forward to
9 eventually working with utilities and other stakeholders as the RVOS model
10 is populated with data in order to calculate solar resource values. This
11 concludes our testimony.

12

13

14